

PHYS 310 — Homework #3

Reading:

- Hughes and Hase, Chapter 4

Problems due Tuesday February 9:

1. In Table 4.2 on p. 44, Hughes & Hase claim that for the function

$$Z(A, B) = k \frac{A^n}{B^m}$$

the fractional uncertainty in Z is given by

$$\frac{\alpha_Z}{Z} = \sqrt{\left(n \frac{\alpha_A}{A}\right)^2 + \left(m \frac{\alpha_B}{B}\right)^2}.$$

Use the *calculus approach* to prove this result.

2. In the PHYS 211/212 appendix we discuss the uncertainty in the measurement of g with a pendulum. We say that the uncertainty in the value of g due to our uncertainty in the measurement of the period T is given by

$$\Delta g_T = g(L, T + \Delta T) - g(L, T)$$

(This is H&H's *functional approach*. It's just as reasonable to use

$$\Delta g_T = g(L, T - \Delta T) - g(L, T).$$

Let's assume that $L = 0.96$ m and $T = 1.970 \pm 0.004$ s. Does it matter which definition for Δg_T you use? For what values of ΔT will it matter?

3. Section 4.2.2 in Hughes & Hase is a worked example of the determination of pressure and its uncertainty using the van der Waals equation of state and the *functional approach* for determining uncertainties. Repeat these calculations for yourself, determining $P(\bar{V}_{\text{in}}, \bar{T})$, α_P^T , α_P^V , and α_P . Identify the (slight) numerical errors made in the text.
4. Repeat the calculation of the uncertainty α_P in problem #3 using the “calculus approximation” of the uncertainties.

5. Repeat the calculation of the uncertainty α_P in problem # 3 using Monte Carlo simulations of the data.
6. Hughes and Hase, Problem 4.8
7. Hughes and Hase, Problem 4.10