PHYS 310 - Homework #4

Reading:

• Hughes & Hase, Chapters 5, 6.1-6.2

Problems Due Tues 16 February

There are three problems in this set. You must download the data for these problems from the website <u>http://www.eg.bucknell.edu/physics/ph310/fit1.html</u> or Moodle.

- 1) Use the "hw4-1.dat" file for this problem. These data come from twenty (20) experiments nominally measuring the same physical quantity. The data for each measurement (point) is on a single line in the file. The first number on each line is the value of the measured quantity, and the second is the uncertainty in the measurement.
 - (a) What value do you quote for this quantity based on the data? (Include an uncertainty.)
 - (b) Each data point has its own uncertainty σ_i . How many of the data points lie within $1\sigma_i$ of the mean value you determined?
 - (c) What is the goodness-of-fit parameter χ^2 for these data? The definition of χ^2 is given in Eq. (5.9) of Hughes & Hase, and we calculated χ^2 for the cases of fitting to a linear and a quadratic in class. When we are just determining the mean, the function y(x) in Eq. (5.9) is simply a constant, i.e., the value of the mean that you determined.
- 2) Use the "hw4-2.dat" file for this problem. The data come from an experiment in which there is a suspected linear relationship between measured values of *x* and *y*. The data for each point is on a single line in the file. The first number on each line is the value of *x*, the second is the value of *y*, and the third is the uncertainty of *y*. Uncertainties in *x* are negligible.
 - (a) Perform a weighted linear fit to these data.
 - (b) Plot your normalized residuals. How many of the data points lie within 1σ of the line you determined?
 - (c) Use Eq. (5.9) from Hughes & Hase to calculate the goodness-of-fit parameter χ^2 for these data.
 - (d) Does a linear fir to the data appear to be reasonable?
 - (e) What value do you quote for the slope and intercept based on the data? (Include uncertainties.)

3) Use the file "hw4-3.dat" on the website for this problem. The data come from an experiment in which the relationship between *x* and *y* is suspected to be

 $y = a_1 \sin(2\pi x) + a_2 \sin(4\pi x),$

where a_1 and a_2 are the parameters to be determined. The data for each point is on a single line in the file. The first number on each line is the value of x, the second is the value of y, and the third is the uncertainty in y. Uncertainties in x are negligible.

- (a) Perform a linear fit using the assumed functional form.
- (b) Plot your residuals.
- (c) Use Eq. (5.9) from Hughes & Hase to calculate the goodness-of-fit parameter χ^2 for these data.
- (d) Is your fit good?
- (e) Give your values for a_1 and a_2 (including uncertainties).