

BUCKNELL UNIVERSITY
Computer Science

CSCI 315 Operating Systems Design

Introduction

Notice: The slides for this lecture have been largely based on those accompanying the textbook *Operating Systems Concepts with Java*, by Silberschatz, Galvin, and Gagne (2007). Many, if not all, the illustrations contained in this presentation come from this source.

What is an Operating System?


What is an Operating System?

A program that acts as an intermediary between a user of a computer and the computer hardware.

Operating system goals:

- Execute user programs and make solving user problems easier.
- Make the computer system convenient to use.
- Use the computer hardware in an efficient manner.


A Modern Computer System




Computer System Components

1. Hardware – provides basic computing resources (CPU, memory, I/O devices).
2. Operating system – controls and coordinates the use of the hardware among the various application programs for the various users.
3. Applications programs – define the ways in which the system resources are used to solve the computing problems of the users (compilers, database systems, video games, business programs).
4. Users (people, machines, other computers).

Macroscopic Abstract View of the Computer System



Abstract View of System Components




Operating System Definitions

- Resource allocator – manages and allocates resources.
- Control program – controls the execution of user programs and operations of I/O devices.
- Kernel – the one program “running” at all times (all else being application programs).


Mainframe Systems

- Reduce setup time by batching similar jobs.
- Automatic job sequencing – automatically transfers control from one job to another.
First rudimentary operating system.
- Resident monitor:
 - initial control in monitor,
 - control transfers to job,
 - when job completes control transfers back to monitor.

Memory Layout for a Simple Batch System



Multiprogrammed Batch Systems



OS Features Needed for Multiprogramming

- I/O routine supplied by the system.
- Memory management – the system must allocate the memory to several jobs.
- CPU scheduling – the system must choose among several jobs ready to run.
- Allocation of devices.

Time-Sharing Systems

Interactive Computing

- The CPU is multiplexed among several jobs that are kept in memory and on disk (the CPU is allocated to a job only if the job is in memory).
- A job swapped in and out of memory to the disk.
- On-line communication between the user and the system is provided:
 - When the operating system finishes the execution of one command, it seeks the next “control statement” from the user’s keyboard
- On-line system must be available for users to access data and code.

Desktop Systems

- *Personal computers* – computer system dedicated to a single user.
- I/O devices – keyboards, mice, display screens, small printers.
- User convenience and responsiveness.
- Can adopt technology developed for larger operating system:
 - Often individuals have sole use of computer and do not need advanced CPU utilization or protection features.
- May run several different types of operating systems (Windows, MacOS, UNIX, Linux).


Parallel Systems

- Systems with more than one CPU in close communication (also known as *multiprocessor systems*).
- *Tightly coupled system* – processors share memory and a clock; communication usually takes place through the shared memory.
- Advantages of parallel system:
 - Increased *throughput*
 - Economical
 - Increased reliability (in some cases)
 - graceful degradation
 - fail-soft systems

Parallel Systems (Cont.)

- *Asymmetric multiprocessing*
 - Each processor is assigned a specific task; master processor schedules and allocated work to slave processors.
 - More common in extremely large systems.
- *Symmetric multiprocessing (SMP)*
 - Each processor runs an identical copy of the operating system.
 - Many processes can run at once without performance deterioration.
 - Most modern operating systems support SMP.

Symmetric Multiprocessing Architecture




Distributed Systems

- Distribute the computation among several physical processors.
- *Loosely coupled system* – each processor has its own local memory; processors communicate with one another through various communications lines, such as high-speed buses or telephone lines.
- Advantages of distributed systems:
 - Resources Sharing,
 - Computation speed up – load sharing,
 - Reliability,
 - Communications.

Distributed Systems (cont.)

- Requires networking infrastructure.
- Local area networks (*LAN*) or Wide area networks (*WAN*).
- May be either *client-server* or *peer-to-peer* systems.

General Structure of Client-Server System



Clustered Systems

- Clustering allows two or more systems to share storage.
- Provides high reliability.
- *Asymmetric clustering*: one server runs the application or applications while other servers standby.
- *Symmetric clustering*: all N hosts are running the application or applications.

Real-Time Systems

- Often used as a control device in a dedicated application such as controlling scientific experiments, medical imaging systems, industrial control systems, and some display systems.
- Well-defined fixed-time constraints.
- Real-Time systems may be either *hard* or *soft* real-time.

Real-Time Systems (Cont.)

- Hard real-time:
 - Secondary storage limited or absent, data stored in short term memory, or read-only memory (ROM).
 - Conflicts with time-sharing systems, not supported by general-purpose operating systems.
- Soft real-time:
 - Limited utility in industrial control of robotics.
 - Can be integrated with time-shared systems.
 - Useful in applications (multimedia, virtual reality) requiring tight response times.

Handheld Systems

- Personal Digital Assistants (PDAs).
- Cellular telephones.
- Issues:
 - Limited memory,
 - Slow processors,
 - Small display screens.

Migration of Operating System Concepts and Features

